

ALL THE TECHNOLOGY AND
BENEFITS OF A BIG MACHINE
IN A SMALL SCRUBBER/DRYER





MORE FUNCTIONALITY FOR LESS

Nilfisk SC400 provides you with the cleaning capacity and flexibility of a large scrubber/dryer but built into a small handy machine, easy to operate and efficient to use.

You will find it ideally suited for daily indoor scrubbing and drying in light to medium tasks such as schools, institutions, hotels, smaller supermarkets and other retail outlets.

The innovative handle is equipped with a practical LED display showing battery and water levels. Electronic flow control buttons, safety switch and on/off lever give you complete control. Easy, safe and efficient.

SC400 gives you better manoeuvrability and makes it easier to clean closer to walls and other obstructions. The squeegee system, redesigned with a foot pedal lifting system instead of squeegee cables and even more resistant, makes the daily job more comfortable and effective.

Like all Nilfisk machines, it is built with your needs in mind. Outstanding ergonomics and simple, intuitive controls reduce fatigue and require a minimum of training. You can do your job more efficiently and save time and money in the process.

- · 43 cm scrub deck and 21 litre tank give you the productivity of a large machine, without sacrificing manoeuvrability and ease of use
- · Practical adjustable handle with LED display shows your battery and water levels. And with all working functions integrated
- Electronic water flow control, safety switch and an easy to use lever system
- Redesigned squeegee with foot pedal lifting system for your comfort
- The external deck regulation allows you to increase/decrease the traction when required thereby improving the manoeuvrability
- Better manoeuvrability allows you to clean closer to walls and other obstructions thereby ensuring you an efficient and easier cleaning

SC400: Geniune Nilfisk quality, reliability, performance



The offset brush deck with side wheel lets you clean up close without damaging walls and furniture



The onboard battery charger means less downtime and enables you to recharge whenever and wherever needed





The optional filling hose makes it easier for you to fill from the nearest available water tap, and reduces downtime considerably



The new squeegee design with foot pedal lifting means that you do not have to deal with annoying squeegee cables



Built-in hook protects your brush during transport between cleaning locations

RELIABILITY IS ALSO OUR MANTRA WHEN IT COMES TO SERVICE

A Nilfisk machine functions optimally when cared for by regular service and maintenance visits. Therefore we have created the optimal service solution: four levels of service reflecting different requirements and an optional supply of a substitute machine in critical situations.

24-HOUR SERVICE

Full Service+ Solution

A total coverage package offering four maintenance visits a year + service at a known fixed cost. Optimal for customers with a need for extensive daily cleaning. Labour, travel expenses, spares and parts are all included.

Full Service Solution

A package offering four maintenance visits a year + service. Ideal for customers who clean daily. Labour, travel expenses and spares are included.

Standard Service Solution

This package provides two preventative maintenance visits a year. Labour and travel expenses are included.

Subscription Solution

By entering the subscription contract, the customer agrees to a minimum of one maintenance visit per year.



you clean close to the walls

TECHNICAL SPECIFICATIONS

Description	Unit	SC400 E	SC400 B	SC400 B Full Pkg
Voltage	V	230	24	24
Rated power	W	1650	750	750
Sound pressure level at 1.5m	dB(A)	70	65	65
Productivity rate theoretical/ actual	m²/h	1720/860	1720/1035	1720/1035
Scrubbing width	mm	430	430	430
Max speed	km/h	4	4	4
Solution/recovery tank	litre	23/21	23/21	23/21
Brush/pad diameter	mm	430	430	430
Brush pressure	kg	28	23	23
Brush/pad speed	rpm	150	155	155
Battery compartment size	cm	-	35x35x26	35x35x26
Length x width x height (w/o squeegee)	cm	123x57x72.5-111.5	123x57x72.5-111.5	123x57x72.5-111.5
Net weight	kg	66	59	59
Operating weight	kg	123	136	136

Specifications and details are subject to change without prior notice.

